

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Canton

4101 Shuffel Street NW

North Canton, OH 44720

Tel: (330)497-9396

TestAmerica Job ID: 240-50090-1

Client Project/Site: Compton, CA

For:

CBS Corporation

20 Stanwix Street

Pittsburgh, Pennsylvania 15222-1384

Attn: Mr. Leo M. Brausch



Authorized for release by:

5/7/2015 8:16:56 AM

Nathan Pietras, Project Manager II

(330)966-8296

nathan.pietras@testamericainc.com

LINKS

Review your project
results through

Total Access

Have a Question?

Ask—
The
Expert

Visit us at:

www.testamericainc.com

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Method Summary	6
Sample Summary	7
Detection Summary	8
Client Sample Results	10
Surrogate Summary	25
QC Sample Results	26
QC Association Summary	27
Lab Chronicle	28
Certification Summary	31
Chain of Custody	32

Definitions/Glossary

Client: CBS Corporation
Project/Site: Compton, CA

TestAmerica Job ID: 240-50090-1

Qualifiers

GC Semi VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
D	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Case Narrative

Client: CBS Corporation
Project/Site: Compton, CA

TestAmerica Job ID: 240-50090-1

Job ID: 240-50090-1

Laboratory: TestAmerica Canton

Narrative

CASE NARRATIVE

Client: CBS Corporation

Project: Compton, CA

Report Number: 240-50090-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

TestAmerica Canton attests to the validity of the laboratory data generated by TestAmerica facilities reported herein. All analyses performed by TestAmerica facilities were done using established laboratory SOPs that incorporate QA/QC procedures described in the application methods. TestAmerica's operations groups have reviewed the data for compliance with the laboratory QA/QC plan, and data have been found to be compliant with laboratory protocols unless otherwise noted below.

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

All solid sample results are reported on an "as received" basis unless otherwise indicated by the presence of a % solids value in the method header.

This laboratory report is confidential and is intended for the sole use of TestAmerica and its client.

RECEIPT

The samples were received on 05/01/2015; the samples arrived in good condition, properly preserved and on ice. The temperature of the coolers at receipt was 2.1 C.

POLYCHLORINATED BIPHENYLS (PCBs)

Samples WP-63 (240-50090-2), WP-64 (240-50090-3), WP-65 (240-50090-4), WP-66 (240-50090-5), WP-67 (240-50090-6), WP-68 (240-50090-7), WP-69 (240-50090-8), WP-70 (240-50090-9), WP-71 (240-50090-10), WP-72 (240-50090-11), WP-73 (240-50090-12), WP-74 (240-50090-13), WP-75 (240-50090-14), WP-76 (240-50090-15) and WP-77 (240-50090-16) were analyzed for polychlorinated biphenyls (PCBs) in accordance with EPA SW-846 Method 8082. The samples were prepared on 05/04/2015 and analyzed on 05/05/2015.

Surrogates are added during the extraction process prior to dilution. When the sample dilution is 5X or greater, surrogate recoveries are diluted out and no corrective action is required. All of the samples in this data set analyzed for PCBs were subjected to the sulfuric acid cleanup procedure before instrumental analysis, per EPA Method 3665A.

Method(s) 8082: The following samples appear to contain polychlorinated biphenyls (PCBs); however, due to weathering or other environmental processes, the PCBs in the sample do not closely match any of the laboratory's Aroclor standards used for instrument calibration: WP-63 (240-50090-2), WP-69 (240-50090-8), WP-64 (240-50090-3), WP-68 (240-50090-7), WP-71 (240-50090-10) and WP-75 (240-50090-14). The samples have been quantified and reported as a mixture of Aroclors 1254 and 1260. Due to the poor match

Case Narrative

Client: CBS Corporation
Project/Site: Compton, CA

TestAmerica Job ID: 240-50090-1

Job ID: 240-50090-1 (Continued)

Laboratory: TestAmerica Canton (Continued)

with the Aroclor standard(s), there is increased qualitative and quantitative uncertainty associated with this result.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Method Summary

Client: CBS Corporation
Project/Site: Compton, CA

TestAmerica Job ID: 240-50090-1

Method	Method Description	Protocol	Laboratory
8082	Polychlorinated Biphenyls (PCBs) by Gas Chromatography	SW846	TAL CAN

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL CAN = TestAmerica Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

TestAmerica Canton

Sample Summary

Client: CBS Corporation
Project/Site: Compton, CA

TestAmerica Job ID: 240-50090-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-50090-2	WP-63	Wipe	04/29/15 00:16	05/01/15 09:30
240-50090-3	WP-64	Wipe	04/29/15 00:25	05/01/15 09:30
240-50090-4	WP-65	Wipe	04/29/15 00:33	05/01/15 09:30
240-50090-5	WP-66	Wipe	04/29/15 00:37	05/01/15 09:30
240-50090-6	WP-67	Wipe	04/29/15 00:45	05/01/15 09:30
240-50090-7	WP-68	Wipe	04/29/15 00:55	05/01/15 09:30
240-50090-8	WP-69	Wipe	04/29/15 01:02	05/01/15 09:30
240-50090-9	WP-70	Wipe	04/29/15 01:10	05/01/15 09:30
240-50090-10	WP-71	Wipe	04/29/15 01:40	05/01/15 09:30
240-50090-11	WP-72	Wipe	04/29/15 01:50	05/01/15 09:30
240-50090-12	WP-73	Wipe	04/30/15 00:50	05/01/15 09:30
240-50090-13	WP-74	Wipe	04/30/15 13:13	05/01/15 09:30
240-50090-14	WP-75	Wipe	04/30/15 13:15	05/01/15 09:30
240-50090-15	WP-76	Wipe	04/30/15 13:18	05/01/15 09:30
240-50090-16	WP-77	Wipe	04/30/15 13:21	05/01/15 09:30

Detection Summary

Client: CBS Corporation
Project/Site: Compton, CA

TestAmerica Job ID: 240-50090-1

Client Sample ID: WP-63

Lab Sample ID: 240-50090-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Aroclor-1248	0.59	J	2.0	0.50	ug/Wipe	1	8082		Total/NA
Aroclor-1260	5.1		2.0	0.50	ug/Wipe	1	8082		Total/NA

Client Sample ID: WP-64

Lab Sample ID: 240-50090-3

No Detections.

Client Sample ID: WP-65

Lab Sample ID: 240-50090-4

No Detections.

Client Sample ID: WP-66

Lab Sample ID: 240-50090-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Aroclor-1260	3.2		2.0	0.50	ug/Wipe	1	8082		Total/NA

Client Sample ID: WP-67

Lab Sample ID: 240-50090-6

No Detections.

Client Sample ID: WP-68

Lab Sample ID: 240-50090-7

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Aroclor-1260	0.75	J	2.0	0.50	ug/Wipe	1	8082		Total/NA

Client Sample ID: WP-69

Lab Sample ID: 240-50090-8

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Aroclor-1260	0.54	J	2.0	0.50	ug/Wipe	1	8082		Total/NA

Client Sample ID: WP-70

Lab Sample ID: 240-50090-9

No Detections.

Client Sample ID: WP-71

Lab Sample ID: 240-50090-10

No Detections.

Client Sample ID: WP-72

Lab Sample ID: 240-50090-11

No Detections.

Client Sample ID: WP-73

Lab Sample ID: 240-50090-12

No Detections.

Client Sample ID: WP-74

Lab Sample ID: 240-50090-13

No Detections.

Client Sample ID: WP-75

Lab Sample ID: 240-50090-14

No Detections.

This Detection Summary does not include radiochemical test results.

TestAmerica Canton

Detection Summary

Client: CBS Corporation
Project/Site: Compton, CA

TestAmerica Job ID: 240-50090-1

Client Sample ID: WP-76

Lab Sample ID: 240-50090-15

No Detections.

Client Sample ID: WP-77

Lab Sample ID: 240-50090-16

No Detections.

This Detection Summary does not include radiochemical test results.

TestAmerica Canton

Client Sample Results

Client: CBS Corporation
Project/Site: Compton, CA

TestAmerica Job ID: 240-50090-1

Client Sample ID: WP-63

Lab Sample ID: 240-50090-2

Date Collected: 04/29/15 00:16

Matrix: Wipe

Date Received: 05/01/15 09:30

Method: 8082 - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aroclor-1016	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 19:56	1
Aroclor-1221	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 19:56	1
Aroclor-1232	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 19:56	1
Aroclor-1242	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 19:56	1
Aroclor-1248	0.59	J	2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 19:56	1
Aroclor-1254	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 19:56	1
Aroclor-1260	5.1		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 19:56	1
Aroclor-1262	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 19:56	1
Aroclor-1268	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 19:56	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	83		52 - 162				05/04/15 09:16	05/05/15 19:56	1
DCB Decachlorobiphenyl	86		35 - 162				05/04/15 09:16	05/05/15 19:56	1

TestAmerica Canton

Client Sample Results

Client: CBS Corporation
Project/Site: Compton, CA

TestAmerica Job ID: 240-50090-1

Client Sample ID: WP-64

Lab Sample ID: 240-50090-3

Date Collected: 04/29/15 00:25

Matrix: Wipe

Date Received: 05/01/15 09:30

Method: 8082 - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aroclor-1016	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 20:10	1
Aroclor-1221	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 20:10	1
Aroclor-1232	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 20:10	1
Aroclor-1242	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 20:10	1
Aroclor-1248	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 20:10	1
Aroclor-1254	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 20:10	1
Aroclor-1260	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 20:10	1
Aroclor-1262	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 20:10	1
Aroclor-1268	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 20:10	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	83		52 - 162				05/04/15 09:16	05/05/15 20:10	1
DCB Decachlorobiphenyl	88		35 - 162				05/04/15 09:16	05/05/15 20:10	1

TestAmerica Canton

Client Sample Results

Client: CBS Corporation
Project/Site: Compton, CA

TestAmerica Job ID: 240-50090-1

Client Sample ID: WP-65

Lab Sample ID: 240-50090-4

Date Collected: 04/29/15 00:33

Matrix: Wipe

Date Received: 05/01/15 09:30

Method: 8082 - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aroclor-1016	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 20:24	1
Aroclor-1221	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 20:24	1
Aroclor-1232	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 20:24	1
Aroclor-1242	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 20:24	1
Aroclor-1248	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 20:24	1
Aroclor-1254	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 20:24	1
Aroclor-1260	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 20:24	1
Aroclor-1262	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 20:24	1
Aroclor-1268	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 20:24	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	91		52 - 162				05/04/15 09:16	05/05/15 20:24	1
DCB Decachlorobiphenyl	91		35 - 162				05/04/15 09:16	05/05/15 20:24	1

TestAmerica Canton

Client Sample Results

Client: CBS Corporation
Project/Site: Compton, CA

TestAmerica Job ID: 240-50090-1

Client Sample ID: WP-66

Lab Sample ID: 240-50090-5

Date Collected: 04/29/15 00:37

Matrix: Wipe

Date Received: 05/01/15 09:30

Method: 8082 - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aroclor-1016	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 20:38	1
Aroclor-1221	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 20:38	1
Aroclor-1232	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 20:38	1
Aroclor-1242	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 20:38	1
Aroclor-1248	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 20:38	1
Aroclor-1254	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 20:38	1
Aroclor-1260	3.2		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 20:38	1
Aroclor-1262	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 20:38	1
Aroclor-1268	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 20:38	1
Surrogate		%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene		75		52 - 162			05/04/15 09:16	05/05/15 20:38	1
DCB Decachlorobiphenyl		85		35 - 162			05/04/15 09:16	05/05/15 20:38	1

TestAmerica Canton

Client Sample Results

Client: CBS Corporation
Project/Site: Compton, CA

TestAmerica Job ID: 240-50090-1

Client Sample ID: WP-67

Lab Sample ID: 240-50090-6

Date Collected: 04/29/15 00:45

Matrix: Wipe

Date Received: 05/01/15 09:30

Method: 8082 - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aroclor-1016	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 20:52	1
Aroclor-1221	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 20:52	1
Aroclor-1232	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 20:52	1
Aroclor-1242	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 20:52	1
Aroclor-1248	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 20:52	1
Aroclor-1254	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 20:52	1
Aroclor-1260	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 20:52	1
Aroclor-1262	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 20:52	1
Aroclor-1268	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 20:52	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	78		52 - 162				05/04/15 09:16	05/05/15 20:52	1
DCB Decachlorobiphenyl	84		35 - 162				05/04/15 09:16	05/05/15 20:52	1

TestAmerica Canton

Client Sample Results

Client: CBS Corporation
Project/Site: Compton, CA

TestAmerica Job ID: 240-50090-1

Client Sample ID: WP-68

Lab Sample ID: 240-50090-7

Date Collected: 04/29/15 00:55

Matrix: Wipe

Date Received: 05/01/15 09:30

Method: 8082 - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aroclor-1016	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 21:06	1
Aroclor-1221	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 21:06	1
Aroclor-1232	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 21:06	1
Aroclor-1242	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 21:06	1
Aroclor-1248	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 21:06	1
Aroclor-1254	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 21:06	1
Aroclor-1260	0.75	J	2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 21:06	1
Aroclor-1262	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 21:06	1
Aroclor-1268	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 21:06	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	82		52 - 162				05/04/15 09:16	05/05/15 21:06	1
DCB Decachlorobiphenyl	88		35 - 162				05/04/15 09:16	05/05/15 21:06	1

TestAmerica Canton

Client Sample Results

Client: CBS Corporation
Project/Site: Compton, CA

TestAmerica Job ID: 240-50090-1

Client Sample ID: WP-69

Lab Sample ID: 240-50090-8

Date Collected: 04/29/15 01:02

Matrix: Wipe

Date Received: 05/01/15 09:30

Method: 8082 - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aroclor-1016	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 21:20	1
Aroclor-1221	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 21:20	1
Aroclor-1232	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 21:20	1
Aroclor-1242	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 21:20	1
Aroclor-1248	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 21:20	1
Aroclor-1254	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 21:20	1
Aroclor-1260	0.54	J	2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 21:20	1
Aroclor-1262	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 21:20	1
Aroclor-1268	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 21:20	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	86		52 - 162				05/04/15 09:16	05/05/15 21:20	1
DCB Decachlorobiphenyl	91		35 - 162				05/04/15 09:16	05/05/15 21:20	1

TestAmerica Canton

Client Sample Results

Client: CBS Corporation
Project/Site: Compton, CA

TestAmerica Job ID: 240-50090-1

Client Sample ID: WP-70

Lab Sample ID: 240-50090-9

Date Collected: 04/29/15 01:10

Matrix: Wipe

Date Received: 05/01/15 09:30

Method: 8082 - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aroclor-1016	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 21:34	1
Aroclor-1221	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 21:34	1
Aroclor-1232	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 21:34	1
Aroclor-1242	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 21:34	1
Aroclor-1248	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 21:34	1
Aroclor-1254	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 21:34	1
Aroclor-1260	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 21:34	1
Aroclor-1262	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 21:34	1
Aroclor-1268	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 21:34	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	82		52 - 162				05/04/15 09:16	05/05/15 21:34	1
DCB Decachlorobiphenyl	90		35 - 162				05/04/15 09:16	05/05/15 21:34	1

TestAmerica Canton

Client Sample Results

Client: CBS Corporation
Project/Site: Compton, CA

TestAmerica Job ID: 240-50090-1

Client Sample ID: WP-71

Lab Sample ID: 240-50090-10

Date Collected: 04/29/15 01:40

Matrix: Wipe

Date Received: 05/01/15 09:30

Method: 8082 - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aroclor-1016	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 21:48	1
Aroclor-1221	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 21:48	1
Aroclor-1232	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 21:48	1
Aroclor-1242	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 21:48	1
Aroclor-1248	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 21:48	1
Aroclor-1254	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 21:48	1
Aroclor-1260	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 21:48	1
Aroclor-1262	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 21:48	1
Aroclor-1268	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 21:48	1
Surrogate		%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene		77		52 - 162			05/04/15 09:16	05/05/15 21:48	1
DCB Decachlorobiphenyl		77		35 - 162			05/04/15 09:16	05/05/15 21:48	1

TestAmerica Canton

Client Sample Results

Client: CBS Corporation
Project/Site: Compton, CA

TestAmerica Job ID: 240-50090-1

Client Sample ID: WP-72

Lab Sample ID: 240-50090-11

Date Collected: 04/29/15 01:50

Matrix: Wipe

Date Received: 05/01/15 09:30

Method: 8082 - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aroclor-1016	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 22:02	1
Aroclor-1221	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 22:02	1
Aroclor-1232	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 22:02	1
Aroclor-1242	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 22:02	1
Aroclor-1248	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 22:02	1
Aroclor-1254	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 22:02	1
Aroclor-1260	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 22:02	1
Aroclor-1262	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 22:02	1
Aroclor-1268	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 22:02	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	78		52 - 162				05/04/15 09:16	05/05/15 22:02	1
DCB Decachlorobiphenyl	82		35 - 162				05/04/15 09:16	05/05/15 22:02	1

TestAmerica Canton

Client Sample Results

Client: CBS Corporation
Project/Site: Compton, CA

TestAmerica Job ID: 240-50090-1

Client Sample ID: WP-73

Lab Sample ID: 240-50090-12

Date Collected: 04/30/15 00:50

Matrix: Wipe

Date Received: 05/01/15 09:30

Method: 8082 - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aroclor-1016	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 22:16	1
Aroclor-1221	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 22:16	1
Aroclor-1232	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 22:16	1
Aroclor-1242	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 22:16	1
Aroclor-1248	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 22:16	1
Aroclor-1254	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 22:16	1
Aroclor-1260	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 22:16	1
Aroclor-1262	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 22:16	1
Aroclor-1268	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 22:16	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	85		52 - 162				05/04/15 09:16	05/05/15 22:16	1
DCB Decachlorobiphenyl	91		35 - 162				05/04/15 09:16	05/05/15 22:16	1

TestAmerica Canton

Client Sample Results

Client: CBS Corporation
Project/Site: Compton, CA

TestAmerica Job ID: 240-50090-1

Client Sample ID: WP-74

Lab Sample ID: 240-50090-13

Date Collected: 04/30/15 13:13

Matrix: Wipe

Date Received: 05/01/15 09:30

Method: 8082 - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aroclor-1016	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 22:30	1
Aroclor-1221	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 22:30	1
Aroclor-1232	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 22:30	1
Aroclor-1242	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 22:30	1
Aroclor-1248	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 22:30	1
Aroclor-1254	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 22:30	1
Aroclor-1260	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 22:30	1
Aroclor-1262	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 22:30	1
Aroclor-1268	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 22:30	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	76		52 - 162				05/04/15 09:16	05/05/15 22:30	1
DCB Decachlorobiphenyl	88		35 - 162				05/04/15 09:16	05/05/15 22:30	1

TestAmerica Canton

Client Sample Results

Client: CBS Corporation
Project/Site: Compton, CA

TestAmerica Job ID: 240-50090-1

Client Sample ID: WP-75

Lab Sample ID: 240-50090-14

Date Collected: 04/30/15 13:15

Matrix: Wipe

Date Received: 05/01/15 09:30

Method: 8082 - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aroclor-1016	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 22:44	1
Aroclor-1221	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 22:44	1
Aroclor-1232	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 22:44	1
Aroclor-1242	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 22:44	1
Aroclor-1248	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 22:44	1
Aroclor-1254	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 22:44	1
Aroclor-1260	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 22:44	1
Aroclor-1262	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 22:44	1
Aroclor-1268	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 22:44	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	75		52 - 162				05/04/15 09:16	05/05/15 22:44	1
DCB Decachlorobiphenyl	86		35 - 162				05/04/15 09:16	05/05/15 22:44	1

TestAmerica Canton

Client Sample Results

Client: CBS Corporation
Project/Site: Compton, CA

TestAmerica Job ID: 240-50090-1

Client Sample ID: WP-76

Lab Sample ID: 240-50090-15

Date Collected: 04/30/15 13:18

Matrix: Wipe

Date Received: 05/01/15 09:30

Method: 8082 - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aroclor-1016	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 22:58	1
Aroclor-1221	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 22:58	1
Aroclor-1232	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 22:58	1
Aroclor-1242	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 22:58	1
Aroclor-1248	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 22:58	1
Aroclor-1254	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 22:58	1
Aroclor-1260	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 22:58	1
Aroclor-1262	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 22:58	1
Aroclor-1268	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 22:58	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	87		52 - 162				05/04/15 09:16	05/05/15 22:58	1
DCB Decachlorobiphenyl	94		35 - 162				05/04/15 09:16	05/05/15 22:58	1

TestAmerica Canton

Client Sample Results

Client: CBS Corporation
Project/Site: Compton, CA

TestAmerica Job ID: 240-50090-1

Client Sample ID: WP-77

Lab Sample ID: 240-50090-16

Date Collected: 04/30/15 13:21

Matrix: Wipe

Date Received: 05/01/15 09:30

Method: 8082 - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aroclor-1016	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 23:11	1
Aroclor-1221	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 23:11	1
Aroclor-1232	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 23:11	1
Aroclor-1242	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 23:11	1
Aroclor-1248	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 23:11	1
Aroclor-1254	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 23:11	1
Aroclor-1260	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 23:11	1
Aroclor-1262	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 23:11	1
Aroclor-1268	ND		2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 23:11	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	83		52 - 162				05/04/15 09:16	05/05/15 23:11	1
DCB Decachlorobiphenyl	89		35 - 162				05/04/15 09:16	05/05/15 23:11	1

TestAmerica Canton

Surrogate Summary

Client: CBS Corporation
Project/Site: Compton, CA

TestAmerica Job ID: 240-50090-1

Method: 8082 - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Matrix: Wipe

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	TCX2 (52-162)	DCB2 (35-162)
240-50090-2	WP-63	83	86
240-50090-3	WP-64	83	88
240-50090-4	WP-65	91	91
240-50090-5	WP-66	75	85
240-50090-6	WP-67	78	84
240-50090-7	WP-68	82	88
240-50090-8	WP-69	86	91
240-50090-9	WP-70	82	90
240-50090-10	WP-71	77	77
240-50090-11	WP-72	78	82
240-50090-12	WP-73	85	91
240-50090-13	WP-74	76	88
240-50090-14	WP-75	75	86
240-50090-15	WP-76	87	94
240-50090-16	WP-77	83	89
LCS 240-179106/17-A	Lab Control Sample	80	89
MB 240-179106/16-A	Method Blank	77	92

Surrogate Legend

TCX = Tetrachloro-m-xylene

DCB = DCB Decachlorobiphenyl

TestAmerica Canton

QC Sample Results

Client: CBS Corporation
Project/Site: Compton, CA

TestAmerica Job ID: 240-50090-1

Method: 8082 - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Lab Sample ID: MB 240-179106/16-A

Client Sample ID: Method Blank

Matrix: Wipe

Prep Type: Total/NA

Analysis Batch: 179440

Prep Batch: 179106

Analyte	MB		Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	MB	MB									
Aroclor-1016	ND				2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 23:25	1
Aroclor-1221	ND				2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 23:25	1
Aroclor-1232	ND				2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 23:25	1
Aroclor-1242	ND				2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 23:25	1
Aroclor-1248	ND				2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 23:25	1
Aroclor-1254	ND				2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 23:25	1
Aroclor-1260	ND				2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 23:25	1
Aroclor-1262	ND				2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 23:25	1
Aroclor-1268	ND				2.0	0.50	ug/Wipe		05/04/15 09:16	05/05/15 23:25	1
<hr/>											
Surrogate	MB		%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
	MB	MB			52 - 162	35 - 162	Prepared	Analyzed			
Tetrachloro-m-xylene	77								05/04/15 09:16	05/05/15 23:25	1
DCB Decachlorobiphenyl	92								05/04/15 09:16	05/05/15 23:25	1

Lab Sample ID: LCS 240-179106/17-A

Client Sample ID: Lab Control Sample

Matrix: Wipe

Prep Type: Total/NA

Analysis Batch: 179440

Prep Batch: 179106

Analyte	Spike		Added	Result	LCS	LCS	Unit	D	%Rec	Limits	%Rec.
	LCS	LCS									
Aroclor-1016			10.0	8.23			ug/Wipe		82	56 - 160	
Aroclor-1260			10.0	8.15			ug/Wipe		81	60 - 151	
<hr/>											
Surrogate	LCS		%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
	LCS	LCS			52 - 162	35 - 162	Prepared	Analyzed			
Tetrachloro-m-xylene	80								05/04/15 09:16	05/05/15 23:25	1
DCB Decachlorobiphenyl	89								05/04/15 09:16	05/05/15 23:25	1

TestAmerica Canton

QC Association Summary

Client: CBS Corporation
Project/Site: Compton, CA

TestAmerica Job ID: 240-50090-1

GC Semi VOA

Prep Batch: 179106

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-50090-2	WP-63	Total/NA	Wipe	3540C	
240-50090-3	WP-64	Total/NA	Wipe	3540C	
240-50090-4	WP-65	Total/NA	Wipe	3540C	
240-50090-5	WP-66	Total/NA	Wipe	3540C	
240-50090-6	WP-67	Total/NA	Wipe	3540C	
240-50090-7	WP-68	Total/NA	Wipe	3540C	
240-50090-8	WP-69	Total/NA	Wipe	3540C	
240-50090-9	WP-70	Total/NA	Wipe	3540C	
240-50090-10	WP-71	Total/NA	Wipe	3540C	
240-50090-11	WP-72	Total/NA	Wipe	3540C	
240-50090-12	WP-73	Total/NA	Wipe	3540C	
240-50090-13	WP-74	Total/NA	Wipe	3540C	
240-50090-14	WP-75	Total/NA	Wipe	3540C	
240-50090-15	WP-76	Total/NA	Wipe	3540C	
240-50090-16	WP-77	Total/NA	Wipe	3540C	
LCS 240-179106/17-A	Lab Control Sample	Total/NA	Wipe	3540C	
MB 240-179106/16-A	Method Blank	Total/NA	Wipe	3540C	

Analysis Batch: 179440

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-50090-2	WP-63	Total/NA	Wipe	8082	179106
240-50090-3	WP-64	Total/NA	Wipe	8082	179106
240-50090-4	WP-65	Total/NA	Wipe	8082	179106
240-50090-5	WP-66	Total/NA	Wipe	8082	179106
240-50090-6	WP-67	Total/NA	Wipe	8082	179106
240-50090-7	WP-68	Total/NA	Wipe	8082	179106
240-50090-8	WP-69	Total/NA	Wipe	8082	179106
240-50090-9	WP-70	Total/NA	Wipe	8082	179106
240-50090-10	WP-71	Total/NA	Wipe	8082	179106
240-50090-11	WP-72	Total/NA	Wipe	8082	179106
240-50090-12	WP-73	Total/NA	Wipe	8082	179106
240-50090-13	WP-74	Total/NA	Wipe	8082	179106
240-50090-14	WP-75	Total/NA	Wipe	8082	179106
240-50090-15	WP-76	Total/NA	Wipe	8082	179106
240-50090-16	WP-77	Total/NA	Wipe	8082	179106
LCS 240-179106/17-A	Lab Control Sample	Total/NA	Wipe	8082	179106
MB 240-179106/16-A	Method Blank	Total/NA	Wipe	8082	179106

TestAmerica Canton

Lab Chronicle

Client: CBS Corporation
Project/Site: Compton, CA

TestAmerica Job ID: 240-50090-1

Client Sample ID: WP-63

Lab Sample ID: 240-50090-2

Date Collected: 04/29/15 00:16
Date Received: 05/01/15 09:30

Matrix: Wipe

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3540C			179106	05/04/15 09:16	CS	TAL CAN
Total/NA	Analysis	8082		1	179440	05/05/15 19:56	KMG	TAL CAN

Client Sample ID: WP-64

Lab Sample ID: 240-50090-3

Date Collected: 04/29/15 00:25
Date Received: 05/01/15 09:30

Matrix: Wipe

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3540C			179106	05/04/15 09:16	CS	TAL CAN
Total/NA	Analysis	8082		1	179440	05/05/15 20:10	KMG	TAL CAN

Client Sample ID: WP-65

Lab Sample ID: 240-50090-4

Matrix: Wipe

Date Collected: 04/29/15 00:33
Date Received: 05/01/15 09:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3540C			179106	05/04/15 09:16	CS	TAL CAN
Total/NA	Analysis	8082		1	179440	05/05/15 20:24	KMG	TAL CAN

Client Sample ID: WP-66

Lab Sample ID: 240-50090-5

Matrix: Wipe

Date Collected: 04/29/15 00:37
Date Received: 05/01/15 09:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3540C			179106	05/04/15 09:16	CS	TAL CAN
Total/NA	Analysis	8082		1	179440	05/05/15 20:38	KMG	TAL CAN

Client Sample ID: WP-67

Lab Sample ID: 240-50090-6

Matrix: Wipe

Date Collected: 04/29/15 00:45
Date Received: 05/01/15 09:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3540C			179106	05/04/15 09:16	CS	TAL CAN
Total/NA	Analysis	8082		1	179440	05/05/15 20:52	KMG	TAL CAN

Client Sample ID: WP-68

Lab Sample ID: 240-50090-7

Matrix: Wipe

Date Collected: 04/29/15 00:55
Date Received: 05/01/15 09:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3540C			179106	05/04/15 09:16	CS	TAL CAN
Total/NA	Analysis	8082		1	179440	05/05/15 21:06	KMG	TAL CAN

TestAmerica Canton

Lab Chronicle

Client: CBS Corporation
Project/Site: Compton, CA

TestAmerica Job ID: 240-50090-1

Client Sample ID: WP-69

Lab Sample ID: 240-50090-8

Matrix: Wipe

Date Collected: 04/29/15 01:02
Date Received: 05/01/15 09:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3540C			179106	05/04/15 09:16	CS	TAL CAN
Total/NA	Analysis	8082		1	179440	05/05/15 21:20	KMG	TAL CAN

Client Sample ID: WP-70

Lab Sample ID: 240-50090-9

Matrix: Wipe

Date Collected: 04/29/15 01:10
Date Received: 05/01/15 09:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3540C			179106	05/04/15 09:16	CS	TAL CAN
Total/NA	Analysis	8082		1	179440	05/05/15 21:34	KMG	TAL CAN

Client Sample ID: WP-71

Lab Sample ID: 240-50090-10

Matrix: Wipe

Date Collected: 04/29/15 01:40
Date Received: 05/01/15 09:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3540C			179106	05/04/15 09:16	CS	TAL CAN
Total/NA	Analysis	8082		1	179440	05/05/15 21:48	KMG	TAL CAN

Client Sample ID: WP-72

Lab Sample ID: 240-50090-11

Matrix: Wipe

Date Collected: 04/29/15 01:50
Date Received: 05/01/15 09:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3540C			179106	05/04/15 09:16	CS	TAL CAN
Total/NA	Analysis	8082		1	179440	05/05/15 22:02	KMG	TAL CAN

Client Sample ID: WP-73

Lab Sample ID: 240-50090-12

Matrix: Wipe

Date Collected: 04/30/15 00:50
Date Received: 05/01/15 09:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3540C			179106	05/04/15 09:16	CS	TAL CAN
Total/NA	Analysis	8082		1	179440	05/05/15 22:16	KMG	TAL CAN

Client Sample ID: WP-74

Lab Sample ID: 240-50090-13

Matrix: Wipe

Date Collected: 04/30/15 13:13
Date Received: 05/01/15 09:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3540C			179106	05/04/15 09:16	CS	TAL CAN
Total/NA	Analysis	8082		1	179440	05/05/15 22:30	KMG	TAL CAN

TestAmerica Canton

Lab Chronicle

Client: CBS Corporation
Project/Site: Compton, CA

TestAmerica Job ID: 240-50090-1

Client Sample ID: WP-75

Date Collected: 04/30/15 13:15

Date Received: 05/01/15 09:30

Lab Sample ID: 240-50090-14

Matrix: Wipe

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3540C			179106	05/04/15 09:16	CS	TAL CAN
Total/NA	Analysis	8082		1	179440	05/05/15 22:44	KMG	TAL CAN

Client Sample ID: WP-76

Date Collected: 04/30/15 13:18

Date Received: 05/01/15 09:30

Lab Sample ID: 240-50090-15

Matrix: Wipe

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3540C			179106	05/04/15 09:16	CS	TAL CAN
Total/NA	Analysis	8082		1	179440	05/05/15 22:58	KMG	TAL CAN

Client Sample ID: WP-77

Date Collected: 04/30/15 13:21

Date Received: 05/01/15 09:30

Lab Sample ID: 240-50090-16

Matrix: Wipe

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3540C			179106	05/04/15 09:16	CS	TAL CAN
Total/NA	Analysis	8082		1	179440	05/05/15 23:11	KMG	TAL CAN

Laboratory References:

TAL CAN = TestAmerica Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

TestAmerica Canton

Certification Summary

Client: CBS Corporation
Project/Site: Compton, CA

TestAmerica Job ID: 240-50090-1

Laboratory: TestAmerica Canton

The certifications listed below are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
California	NELAP	9	01144CA	06-30-14 *

* Certification renewal pending - certification considered valid.

TestAmerica Canton

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

TestAmerica Laboratories, Inc.

**CHAIN OF CUSTODY
AND
RECEIVING DOCUMENTS**



240-50090 Chain of Custody

TestAmerica Canton
4101 Shuffel Street, N. W.

Chain of Custody Record

031651

TestAmerica

North Canton, OH 44720
Phone: 330.497.9396 Fax: 330.497.0772

THE LEADER IN ENVIRONMENTAL TESTING
TestAmerica Laboratories, Inc.
TAL-8210 (0713)

Client Contact		Project Manager:	Regulatory Program:	<input type="checkbox"/> DW	<input type="checkbox"/> NPDES	<input type="checkbox"/> RCRA	<input type="checkbox"/> Other:	Site Contact: <u>John Czelewski</u>		Lab Contact: <u>John Czelewski</u>	Date: <u>2/2/15</u>	Carrier:	COC No. <u>1</u> of <u>2</u> COCs																																																																																																																																															
Company Name:	WSP	Tel/Fax:	Analysis Turnaround Time	<input type="checkbox"/> CALENDAR DAYS	<input checked="" type="checkbox"/> WORKING DAYS	<input type="checkbox"/> TAT if different from Below	<input type="checkbox"/> 2 weeks	<input checked="" type="checkbox"/> except where noted	<input type="checkbox"/> 1 week	<input type="checkbox"/> 2 days	<input type="checkbox"/> 1 day	<input type="checkbox"/> Preferred Sample (Y/N)	Perfomed MS/MSD (Y/N)	PCBs, EPA 8082 A																																																																																																																																														
Address: 750 Holiday Dr. # 410	City/State/Zip: Pittsburgh, PA 15220	Phone: (412) 204 - 1046	Fax:	Project Name: CPS - Computer	Site: CPS - Computer	PO# 41441																																																																																																																																																						
<table border="1"> <thead> <tr> <th colspan="2">Sample Identification</th> <th>Sample Date</th> <th>Sample Time</th> <th>Sample Type (C=Comp, G=Grab)</th> <th>Matrix</th> <th># of Cont.</th> <th colspan="2">Level IV data package</th> <th colspan="2">Sample Specific Notes:</th> </tr> </thead> <tbody> <tr> <td><u>EB-02-0442815</u></td> <td></td> <td><u>04/28/15</u></td> <td><u>1428</u></td> <td><u>G</u></td> <td><u>Aq</u></td> <td><u>1</u></td> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> <tr> <td><u>WP-CR-01</u></td> <td></td> <td><u>04/28/15</u></td> <td><u>2220</u></td> <td><u>C</u></td> <td><u>B</u></td> <td><u>1</u></td> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> <tr> <td><u>WP-63</u></td> <td></td> <td><u>04/29/15</u></td> <td><u>0016</u></td> <td><u>G</u></td> <td><u>W</u></td> <td><u>1</u></td> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> <tr> <td><u>WP-64</u></td> <td></td> <td><u>04/29/15</u></td> <td><u>0023</u></td> <td><u>G</u></td> <td><u>W</u></td> <td><u>1</u></td> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> <tr> <td><u>WP-65</u></td> <td></td> <td><u>04/29/15</u></td> <td><u>0033</u></td> <td><u>G</u></td> <td><u>W</u></td> <td><u>1</u></td> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> <tr> <td><u>WP-66</u></td> <td></td> <td><u>04/29/15</u></td> <td><u>0037</u></td> <td><u>G</u></td> <td><u>W</u></td> <td><u>1</u></td> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> <tr> <td><u>WP-67</u></td> <td></td> <td><u>04/29/15</u></td> <td><u>0045</u></td> <td><u>G</u></td> <td><u>W</u></td> <td><u>1</u></td> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> <tr> <td><u>WP-68</u></td> <td></td> <td><u>04/29/15</u></td> <td><u>0055</u></td> <td><u>G</u></td> <td><u>W</u></td> <td><u>1</u></td> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> <tr> <td><u>WP-69</u></td> <td></td> <td><u>04/29/15</u></td> <td><u>0102</u></td> <td><u>G</u></td> <td><u>W</u></td> <td><u>1</u></td> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> <tr> <td><u>WP-70</u></td> <td></td> <td><u>04/29/15</u></td> <td><u>0110</u></td> <td><u>G</u></td> <td><u>W</u></td> <td><u>1</u></td> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> <tr> <td><u>WP-71</u></td> <td></td> <td><u>04/29/15</u></td> <td><u>0146</u></td> <td><u>G</u></td> <td><u>W</u></td> <td><u>1</u></td> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> <tr> <td><u>WP-72</u></td> <td></td> <td><u>04/29/15</u></td> <td><u>0150</u></td> <td><u>G</u></td> <td><u>W</u></td> <td><u>1</u></td> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> </tbody> </table>														Sample Identification		Sample Date	Sample Time	Sample Type (C=Comp, G=Grab)	Matrix	# of Cont.	Level IV data package		Sample Specific Notes:		<u>EB-02-0442815</u>		<u>04/28/15</u>	<u>1428</u>	<u>G</u>	<u>Aq</u>	<u>1</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<u>WP-CR-01</u>		<u>04/28/15</u>	<u>2220</u>	<u>C</u>	<u>B</u>	<u>1</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<u>WP-63</u>		<u>04/29/15</u>	<u>0016</u>	<u>G</u>	<u>W</u>	<u>1</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<u>WP-64</u>		<u>04/29/15</u>	<u>0023</u>	<u>G</u>	<u>W</u>	<u>1</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<u>WP-65</u>		<u>04/29/15</u>	<u>0033</u>	<u>G</u>	<u>W</u>	<u>1</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<u>WP-66</u>		<u>04/29/15</u>	<u>0037</u>	<u>G</u>	<u>W</u>	<u>1</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<u>WP-67</u>		<u>04/29/15</u>	<u>0045</u>	<u>G</u>	<u>W</u>	<u>1</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<u>WP-68</u>		<u>04/29/15</u>	<u>0055</u>	<u>G</u>	<u>W</u>	<u>1</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<u>WP-69</u>		<u>04/29/15</u>	<u>0102</u>	<u>G</u>	<u>W</u>	<u>1</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<u>WP-70</u>		<u>04/29/15</u>	<u>0110</u>	<u>G</u>	<u>W</u>	<u>1</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<u>WP-71</u>		<u>04/29/15</u>	<u>0146</u>	<u>G</u>	<u>W</u>	<u>1</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<u>WP-72</u>		<u>04/29/15</u>	<u>0150</u>	<u>G</u>	<u>W</u>	<u>1</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sample Identification		Sample Date	Sample Time	Sample Type (C=Comp, G=Grab)	Matrix	# of Cont.	Level IV data package		Sample Specific Notes:																																																																																																																																																			
<u>EB-02-0442815</u>		<u>04/28/15</u>	<u>1428</u>	<u>G</u>	<u>Aq</u>	<u>1</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																																																																																																																																		
<u>WP-CR-01</u>		<u>04/28/15</u>	<u>2220</u>	<u>C</u>	<u>B</u>	<u>1</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																																																																																																																																		
<u>WP-63</u>		<u>04/29/15</u>	<u>0016</u>	<u>G</u>	<u>W</u>	<u>1</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																																																																																																																																		
<u>WP-64</u>		<u>04/29/15</u>	<u>0023</u>	<u>G</u>	<u>W</u>	<u>1</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																																																																																																																																		
<u>WP-65</u>		<u>04/29/15</u>	<u>0033</u>	<u>G</u>	<u>W</u>	<u>1</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																																																																																																																																		
<u>WP-66</u>		<u>04/29/15</u>	<u>0037</u>	<u>G</u>	<u>W</u>	<u>1</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																																																																																																																																		
<u>WP-67</u>		<u>04/29/15</u>	<u>0045</u>	<u>G</u>	<u>W</u>	<u>1</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																																																																																																																																		
<u>WP-68</u>		<u>04/29/15</u>	<u>0055</u>	<u>G</u>	<u>W</u>	<u>1</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																																																																																																																																		
<u>WP-69</u>		<u>04/29/15</u>	<u>0102</u>	<u>G</u>	<u>W</u>	<u>1</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																																																																																																																																		
<u>WP-70</u>		<u>04/29/15</u>	<u>0110</u>	<u>G</u>	<u>W</u>	<u>1</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																																																																																																																																		
<u>WP-71</u>		<u>04/29/15</u>	<u>0146</u>	<u>G</u>	<u>W</u>	<u>1</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																																																																																																																																		
<u>WP-72</u>		<u>04/29/15</u>	<u>0150</u>	<u>G</u>	<u>W</u>	<u>1</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																																																																																																																																		
Preservation Used: 1= Ice, 2= HCl; 3= H ₂ SO ₄ ; 4=HNO ₃ ; 5=NaOH; 6= Other <u>N/A</u> .														Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)																																																																																																																																														
Are any samples from a listed EPA Hazardous Waste? Please List any EPA Waste Codes for the sample in the Comments Section if the lab is to dispose of the sample.														<input type="checkbox"/> Return to Client	<input type="checkbox"/> Disposal by Lab	<input type="checkbox"/> Archive for _____ Months																																																																																																																																												
Special Instructions/QC Requirements & Comments:																																																																																																																																																												
Custody Seals Intact:	<input type="checkbox"/> Yes	<input type="checkbox"/> No	Custody Seal No.:	Received by:		Cooler Temp. (°C): Obs'd. _____ Conf'd. _____	Therm ID No.: _____	Company: <u>WSP</u>																																																																																																																																																				
Relinquished by:	<u>John Czelewski</u>		Date/Time: <u>4/30/15 1338</u>	<u>John Czelewski</u>		Date/Time: <u>4/30/15 1338</u>	Date/Time: <u>4/30/15 1338</u>	Company: <u>WSP</u>																																																																																																																																																				
Relinquished by:			Date/Time: <u>4/30/15 1338</u>	<u>John Czelewski</u>		Received in Laboratory by: <u>John Czelewski</u>	Date/Time: <u>4/30/15 1338</u>	Company: <u>WSP</u>																																																																																																																																																				
Relinquished by:	<u>John Czelewski</u>		Date/Time: <u>4/30/15 1338</u>	<u>John Czelewski</u>		Received by: <u>John Czelewski</u>	Date/Time: <u>4/30/15 1338</u>	Company: <u>WSP</u>																																																																																																																																																				

TestAmerica Canton
4101 Shuffel Street, N. W.

Chain of Custody Record

031650

TestAmerica

North Canton, OH 44720
Phone: 330.497.9396 Fax: 330.497.0772

THE LEADER IN ENVIRONMENTAL TESTING
TestAmerica Laboratories, Inc.
TA-L8210 (0713)

Client Contact		Project Manager: Dave	Site Contact: Dave R.	Date:
Company Name: WSP		Tel/Fax: Analysis Turnaround Time	Carrier:	COC No: 2 of 2 COCs
Address: 750 Holiday Dr. #410 City/State/Zip: Pittsburgh, PA 15220		<input type="checkbox"/> CALENDAR DAYS	Sampler: Suzanne Ferguson	
Phone: (412) 604-1040		<input type="checkbox"/> WORKING DAYS	For Lab Use Only: <input type="checkbox"/>	
Fax:		<input checked="" type="checkbox"/> TAT if different from Below	Walk-in Client: <input type="checkbox"/>	
Project Name: CBS - Computer		<input checked="" type="checkbox"/> 2 weeks	Lab Sampling: <input type="checkbox"/>	
Site: CBS - Computer		<input checked="" type="checkbox"/> 1 week	Job / SDG No.: <input type="checkbox"/>	
PO# 49474		<input checked="" type="checkbox"/> 2 days	LEVEL IV Double package * Sample Specific Notes: <input type="checkbox"/>	
Sample Identification		Sample Date	Sample Time	Sample Type (C=Comp, G=Grab), Matrix
				# of Cont.
WIP-73		4/30/15	0050	W W 1 NX
WIP-74		4/30/15	1313	W W 1 NX
WIP-75		4/30/15	1315	W W 1 NX
WIP-76		4/30/15	1316	W W 1 NX
WIP-77		4/30/15	1321	W W 1 NX
PCBs, EPA 8682A Preferred Sample (Y/N): <input type="checkbox"/> Perform MS / MSD (Y/N): <input type="checkbox"/>				
Preservation Used: 1=Ice, 2=HCl; 3=H2SO4; 4=HNO3; 5=NaOH; 6=Other None				
Possible Hazard Identification: Are any samples from a listed EPA Hazardous Waste? Please List any EPA Waste Codes for the sample in the Comments Section if the lab is to dispose of the sample.				
<input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown				
Special Instructions/QC Requirements & Comments:				
Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No		Custody Seal No.: <input type="checkbox"/>		
Relinquished by: JKJ		Date/Time: 4/30/15 13:38	Reported by: Linda	Cooler Temp. (°C): Obs'd: <input type="checkbox"/> Corrd: <input type="checkbox"/> Therm ID No.: <input type="checkbox"/>
Relinquished by: JKJ		Date/Time: 4/30/15 13:38	Received by: Linda	Company: WSP Date/Time: 4/30/15 13:38
Relinquished by: JKJ		Date/Time: 4/30/15 13:46	Received in Laboratory by: John Arnold	Company: TAT Date/Time: 4/30/15 17:00
Received by JKJ Date/Time 4/30/15 12:00 JKJ/CJS JKJ/CJS Received by JKJ Date/Time 5-15 930				

TestAmerica Canton Sample Receipt Form/Narrative
Canton Facility

Login # : 50090

Client	WSR	Site Name		Cooler unpacked by:	<i>[Signature]</i>
Cooler Received on	5-1-15	Opened on	5-1-15		
FedEx: 1 st Grd	Exp	UPS	FAS	Stetson	Client Drop Off TestAmerica Courier Other

Receipt After-hours: Drop-off Date/Time Storage Location

TestAmerica Cooler # _____ Foam Box Client Cooler Box Other _____
 Packing material used: Bubble Wrap Foam Plastic Bag None Other _____
 COOLANT: Wet Ice Blue Ice Dry Ice Water None

1. Cooler temperature upon receipt
 IR GUN# A (CF +4.0 °C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C
 IR GUN# 4 (CF +0.5 °C) Observed Cooler Temp. 1.6 °C Corrected Cooler Temp. 2.1 °C
 IR GUN# 5 (CF +0.4 °C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C
 IR GUN# 8 (CF -1.2 °C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C

See Multiple Cooler Form
2. Were custody seals on the outside of the cooler(s)? If Yes Quantity 1 Yes No
 -Were custody seals on the outside of the cooler(s) signed & dated? Yes No NA
 -Were custody seals on the bottle(s)? Yes No
3. Shippers' packing slip attached to the cooler(s)? Yes No
4. Did custody papers accompany the sample(s)? Yes No
5. Were the custody papers relinquished & signed in the appropriate place? Yes No
6. Was/were the sampler(s) clearly identified on the COC? Yes No
7. Did all bottles arrive in good condition (Unbroken)? Yes No
8. Could all bottle labels be reconciled with the COC? Yes No
9. Were correct bottle(s) used for the test(s) indicated? Yes No
10. Sufficient quantity received to perform indicated analyses? Yes No
11. Were sample(s) at the correct pH upon receipt? Yes No NA pH Strip Lot# HC432654
12. Were VOAs on the COC? Yes No
13. Were air bubbles >6 mm in any VOA vials? Yes No NA
14. Was a trip blank present in the cooler(s)? Trip Blank Lot # _____ Yes No

Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other _____
 Concerning _____

14. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES

Samples processed by: _____

15. SAMPLE CONDITION

Sample(s) _____ were received after the recommended holding time had expired.

Sample(s) _____ were received in a broken container.

Sample(s) _____ were received with bubble >6 mm in diameter. (Notify PM)

16. SAMPLE PRESERVATION

Sample(s) _____ were further preserved in the laboratory.

Time preserved: _____ Preservative(s) added/Lot number(s): _____